Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 09/05/2014 Revision date: 09/05/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Automatic Transmission Conditioner

Product code : ATC-55

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Transmission additive

1.3. Details of the supplier of the safety data sheet

Justice Brothers, Inc. 2734 Huntington Drive Duarte, CA - USA 91010 T (626) 359-9174 (M-F, 8am-5pm)

1.4. Emergency telephone number

Emergency number : CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable Liquid 4
Skin Irritation 2
Skin Sensitization 1
Aspiration Toxicity 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Combustible liquid. Causes skin irritation. May cause an allergic skin reaction. May be fatal if

swallowed and enters airways.

Precautionary statements (GHS-US) : Keep away from flames and hot surfaces. - No smoking. Wear protective gloves/eye

protection/face protection. Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with all

local, regional, national and international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

7 % of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Petroleum Solvent	(CAS No) 64742-47-8	30 - 60	Flam. Liq. 3 Asp. Tox. 1

09/05/2014 EN (English) Page 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Name	Product identifier	%	GHS-US classification
Petroleum Solvent	(CAS No) 64742-96-7	30 - 60	Flam. Liq. 3 Skin Irrit. 2 Asp. Tox. 1
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	(CAS No) 70024-69-0	1 - 5	Eye Irrit. 2
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	(CAS No) 13539-13-4	0.5 - 1.5	Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1
Dioctyl disulphide	(CAS No) 822-27-5	0.1 - 1	Skin Irrit. 2 Eye Irrit. 2A, Skin Sens. 1

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures

First-aid measures after ingestion

Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to

do, remove contact lenses, if worn. If irritation persists, get medical attention.

: If swallowed, do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of

the skin. May cause sensitization by skin contact.

Symptoms/injuries after eye contact May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. **Advice for firefighters**

Protection during firefighting Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Use special care to avoid static electric charges. Eliminate sources of ignition.

For non-emergency personnel 6.1.1.

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to Protective equipment

unnecessary and unprotected personnel.

6.1.2. For emergency responders

No additional information available

Methods and material for containment and cleaning up

: Eliminate sources of ignition. Contain and/or absorb spill with inert material (e.g. sand, For containment

vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways.

Use appropriate Personal Protective Equipment (PPE).

: Scoop up material and place in a disposal container. Provide ventilation. Methods for cleaning up

09/05/2014 EN (English) 2/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Keep away from sources of ignition. - No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep cool.

Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Petroleum Solvent (64742-47-8)		
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.

Petroleum Solvent (64742-96-7)		
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.

Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts (70024-69-0)		
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.

1,3,4-Thiadiazole, 2,5-bis(octyldithio)- (13539-13-4)		
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.

Dioctyl disulphide (822-27-5)		
USA ACGIH	ACGIH TWA	Not applicable.
USA OSHA	OSHA PEL (TWA)	Not applicable.

Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection Wear chemically resistant protective gloves.

Eye protection Safety glasses or goggles are recommended when using product.

: Wear suitable protective clothing. Skin and body protection

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Maintain levels below Community environmental protection thresholds. Environmental exposure controls

Other information Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid **Appearance** Clear Colour Red : Hydrocarbon Odour Odour threshold : No data available

09/05/2014 EN (English) 3/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available : > 178.3 °C (> 353 °F) **Boiling point** : 80 °C (176 °F) Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 0.82 g/cm³

Solubility : No data available

Log Pow : No data available

Log Kow: No data availableViscosity, kinematic: 14.0 cSt @ 40 °CViscosity, dynamic: No data availableExplosive properties: No data availableOxidising properties: No data availableExplosive limits: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Automatic Transmission Conditioner	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	Not available

Petroleum Solvent (64742-47-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	> 5.2 mg/l/4h	

Petroleum Solvent (64742-96-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 5.28 mg/l/4h

09/05/2014 EN (English) 4/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of

the skin. May cause sensitization by skin contact.

Symptoms/injuries after eye contact May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and Symptoms/injuries after ingestion

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. **Toxicity**

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Persistence and degradability 12.2.

Automatic Transmission Conditioner

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Automatic Transmission Conditioner

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

Waste treatment methods

Waste disposal recommendations This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with DOT

UN number 14.1.

UN-No.(DOT) : NA1993

UN proper shipping name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s. (Petroleum)

Department of Transportation (DOT) Hazard

Classes

: Combustible liquid

: 111 Packing group (DOT)

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

09/05/2014 EN (English) 5/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Dioctyl disulphide CAS No 822-27-5

15.2. US State regulations

NFPA fire hazard

No additional information available.

SECTION 16: Other information

Indication of changes: None.Date of issue: 09/05/2014Other information: None.

NFPA health hazard : 2 - Intense or continued exposure could cause

temporary incapacitation or possible residual injury unless prompt medical attention is given.

: 2 - Must be moderately heated or exposed to relatively

high temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure

conditions, and are not reactive with water.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

09/05/2014 EN (English) 6/6